

NO.	PART NUBER	DESCRIPTION	QTY
46			
45			
44	851-0CMS2001-10-00	Rear Gasket	1
43	660-TPH20060-30-00	Tapping 'A'Type, 2x6	3
42	650-SM200707-00-00	Cable Holding Plate	1
41	660-TPH26080-30-00	Tapping 'A'Type, 2x8	10
40	444-0CMS2002-00-00	8Din Cable Gasket	1
39	600-0CMS2002-00-00	Rear Panel	1
38	444-0CMS2001-00-00	COMMANDER GASKET RING	1
37	410-	Key PCB	1
36	600-00CMS201-00-00	LCD Holder	1
35	600-00CMS202-00-00	LCD Reflector	1
34	704-00CMS201-00-00	LCD Plate	1
33	440-	LCD	1
32	650-00CMS201-00-00	LCD House	1
31	660-TPH26080-25-00	Tapping 'A'Type, 2x8	12

NO.	PART NUBER	DESCRIPTION	QTY
30	600-0CMS2005-00-00	BUTTON BACKLIGHT	1
29	444-0CMS2003-00-00	Rubber Key	1
28	600-0CMS2001-00-00	Front Panel	1
27	600-0CMS2004-00-00	Lens	1
26	600-0CMS2003-00-00	TRIM RING	1
25	444-0CMS2004-00-00	RUBBER COVER	1
24			
23			
22			
21	600-00CMS102-00-00	Reset Button Cover	1
20	444-00CMS101-00-00	Reset Button	1
19	650-SM200704-00-00	Reset Button Bracket	1
18	650-00CMS104-00-00	Heat Sink Bracket A	1
17	660-TPH40381-23-00	Tapping 'A'Type, 4x38	4
16	650-00CMS105-00-00	Heat Sink Bracket B	1
15	444-00CMS104-00-00	Antenna Cable Gasket	1
14	650-00CMS106-00-00	Antenna Cable Bracket	1
13	851-01510040-00-00	Foam Rubber	1
12	650-SM885A07-00-00	IC Bracket	1
11	444-00CMS103-00-00	Heat Sink Gasket	1
10	650-00CMS102-00-00	Heat Sink	1
09	660-MPH30160-23-00	Machine Screw, 3x16	2
08	650-00CMS103-00-00	Wire Cover	1
07	660-MPH30060-23-00	Machine Screw, 3x6	1
06	660-MPH30100-23-00	Machine Screw, 3x10	13
05	600-00CMS103-00-00	Bossed Cap	4
04	444-00CMS102-00-00	Bottom Gasket	1
03	444-SM200712-00-00	Rubber Stopper	4
02	650-00CMS101-00-00	Bottom Cover	1
01	660-TPH30101-23-00	Tapping "A" Type,3x10	16

Description			File name	Panel exploded view		
Author	Audit	Approve	Customer name	Clarion		
Fong	WJY	Kent	Model	CMS20		
2017.12.12	2017.12.20	2017.12.26				
SOUNDMAX Electronics Ltd.			File	File number	Pagination	Ver	Size
					1/1	1.0	A4

MRK	DATE	REVISION RECORD	MRK	DATE	REVISION RECORD
1			3		
2			4		



Item	Assembly Part NO	Description	Quantity	REMARK
28				
27	763-00CMS100-03-10	Carton for CMS1, 331x306x373mm	1	
26	756-00CMS2CN-01-00	Gift Box, 315mm*345mm*95mm	1	
25	769-00CMS101-00-00	Pulp Tray, 340x308x90mm	1	
24	371-TN416020-L5-01	12P TMG Connector(Hole)	1	
23	759-06009000-40-00	poly bag, Open side=60mm*L=90mm*T=0. 04mm	1	
22	444-0CMS2004-00-00	RUBBER COVER, 70度硅胶(灰色), 防UV, ROHS材料.	1	
21	759-15020000-40-00	Polybag, Open Side=150 x L=200 x 0. 04mm	1	
20	759-04020001-60-60	Poly bag, Open side=40mm*L=200mm*T=0. 06mm	1	
19		CMS2 Panel Assm	1	
18	760-BB170150-50-00	Bubble bag, Open side=170mm, L=150+50mm	1	
17	362-DINJACK0-06-02	Din Jack, to Plug Cable, 8Pin, L=3000mm	1	
16	759-10023005-30-10	poly bag, Open side=100mm*L=230mm*T=0. 03mm	1	
15	600-0CMS2003-00-10	Trim Ring, ABS777D(Nutrel), W/Chrome Plating	1	
14	600-0CMS2003-00-00	Trim Ring, ABS777D(Nutrel), W/Spray Matt Black 3C	1	
13	759-12018001-40-42	Polybag, Open Side=120x180x0. 04mm, PE	2	
12	759-27032005-30-40	poly bag, Open side=270mm*L=320mm*T=0. 03mm	1	
11		CMS2 Main Assm	1	
10	752-00CMS2CN-01-00	Instruction Manual	1	
9	750-03000337-00-00	Corrugated Paper Sheet, L=300mm, W=337mm,	1	
8	650-0CMS2001-00-00	Mounting Bracket, 3mm Al Plate	1	
7	759-10020000-40-00	Polybag, Open Side=100 x L=200xT=0. 04mm,	1	
6	660-MHD40500-30-00	Machine Screw, M4x30+M4x5Hexagonal Head	2	
5	759-06009000-40-00	poly bag, Open side=60mm*L=90mm*T=0. 04mm	1	
4	650-000MW105-30-00	M4 Nut, Stainless	8	
3	660-TPH40381-30-00	Tapping "A" Type, 4x38 Pan Head, Philips Stainless	4	
2	759-03505501-40-42	poly bag, Open side=35mm*L=55mm*T=0. 04mm	1	
1	444-00CMS105-00-00	Rubber Stopper	4	

NO.	DESCRIPTION		MATERIAL		FINISH (COLOR)	Q'TY	REMARK
DESIGN	CHECK	APPROVAL		G.TOL	NAME	Packing EXPLODED DRAWING	
Lei		Ying	SCALE	UNIT			
2017-9-12		2017-9-12		mm	MODEL NO.	CMS20	FILE
Soundmax Co.,Ltd.					PART NO.		



PIN NO.	WIRE COLOR	WIRE DEFINITION	AWG
1	GREEN	SPEAKER REAR LEFT (+)	20
2	GREEN/BLACK	SPEAKER REAR LEFT (-)	20
3	RED	ACC (+12V)	16
4	WHITE	SPEAKER FRONT LEFT (+)	20
5	WHITE/BLACK	SPEAKER FRONT LEFT (-)	20
6	ORANGE/WHITE	ILLUMINATION	20
7	GREY	SPEAKER FRONT RIGHT (+)	20
8	GREY/BLACK	SPEAKER FRONT RIGHT (-)	20
9	BLUE/WHITE	REMOTE (+)	20
10	PURPLE	SPEAKER REAR RIGHT (+)	20
11	PURPLE/BLACK	SPEAKER REAR RIGHT (-)	20
12	BLACK	GROUND (-)	16











Description			File name	Wiring and Connection			
Author	Audit	Approve	Customer name	Clarion			
Fong	WJY	Kent	Model	CMS20			
2017.12.12	2017.12.20	2017.12.26					
SOUNDMAX Electronics Ltd.			File	File number	Pagination	Ver	Size
					1/1	1.0	A4

Item Code	Description	QTY	Unit
001-000CMS20-00-S0	AP8064 Audio Application Processor,CMS20 LQFP64-7x7mm.Operating Temperature-40/+8 AP8064 integrates,ARM Cortex-M3 MCU, 工作温度：-40/+85度，LQFP64-7x7mm.	1	PC
001-0074HC32-00-00	Integrated Circuit 74HC32,Quad 2-input OR Gate 集成电路 74HC32	3	PC
001-00AP1509-00-00	DC/DC Converter IC AP1509-SL-13 封装：SOP-8L 集成电路 AP1509-SL-13 最大电流输出：2A 工作电压：4.5Vto22V 储存温度：-65℃~150℃	1	PC
001-00AZ1117-33-10	VOL. REGULATOR IC AZ1117 3.3V SOT223-3L OUTPUT=3.3V+/-0.2% 1A 稳压IC AZ1117 3.3V SOT223 -3L 输出电压3.3V+/-0.2% 1A,威斯迈提供 2017-8-29 增加001-LC111700-33-00	3	PC
001-00SI4743-00-00	Integrated Circuit SI4743 Tuner system IC,QFP24(4X4X0.825 24-Pin Q	1	PC
001-00W25Q80-00-00	8M FLASH MEMORY IC,W25Q80 封装:8-pin SOIC 208-mil,供应商：Winbond 集成电路W25Q80 闪存IC 8M-bit 牌子：Winbond 封装:8-pin SOIC 208-mil 型号：W25Q80	1	PC
001-0LM2950L-60-00	Integrated Circuit LM2950L-3.3, Voltage Regultor TO-92 Package,Tape-Mount 3.3V稳压IC，Brand: HTC 编带包装	1	PC
001-0NJM4558-00-00	Integrated Circuit,NJM4558 SOP-8 Op Amp	5	PC
001-0PT2221M-01-00	Infra Red Remote Control Transmitter ,PT2221M, 集成电路 PT2221M Replacement:001-00PT2221-01-00	1	PC
001-337S3959-01-T0	iPod Authentication Coprocessor 2.0C IC,MODEL:MFI337S3959-01.Size:2.5 mmx2.5m iPod认证处理IC,型号：MFI337S3959-01, 尺寸：2.5 mm x 2.5 mm,封装：PG-USON-8-1	1	PC
001-APX80929-00-00	2.93V RESET IC APX809-29 SOT-23 -3 (High RESET) 2.93V高电平复位IC 封装SOT23-3 APX809-29	2	PC
001-CYT78L05-TA-00	Integrated Circuit CYT78L05, 5V +/-4% Ipk=150mA Regulator,TO-92,Tape-Mount	3	PC
001-FT24C32A-00-00	Integrated Circuit ,FT24C32A SOP-8, 4096X8 (32K) -byte serial EEPROM, 集成电路 FL24C32A 封装:SOP-8 EEPROM, GM-Electronics	1	PC
001-HEF4094B-00-00	IC HEF 4094BT(D) 16Pin SOP 109-1	1	PC

	PHILIPS 2.5K/PACKAGE IC HEF 4094BT(D) 16Pin SOP 109-1 非利浦(IO口扩展功能IC) 2.5K/PACKAGE		
001-0T235000-00-00	Integrated Circuit 0T2350,7-ch Input 电子VOL IC，0T2350，7路信号输入。 供货商：元泰积体电路股份有限公司, 封装：48pin,LQFP,7mm x 7mm, 电压范围：5V to 10V,推荐8V，电流MAX：46m	1	PC
001-TB2938HQ-00-00	Integrated Circuit,TOSHIBA TB2938HQ,4X41 Amplifier,东芝TB2938HQ	1	PC
001-UTC78M05-00-00	Integrated Circuit UTC78M05, 5V+/-4% 1A YOUWANG ELECTRONICS CO.LTD UTC78M05, 5V+/-4% 1A TO-252 工作温度： 0℃~ +125 ℃ 储存温度：-65℃	2	PC
001-UTC78M09-00-00	Integrated Circuit UTC78M09, 9V+/-4% 1A, YOUWANG ELECTRONICS CO.LTD UTC78M09, 9V+/-4% 1A,TO-252 确达公司供应 工作温度： 0℃~ +125 ℃ 储存温度：-65℃	2	PC
006-0008050D-01-10	Transistor S8050 TO-92 HFE=150~300 Ic=0 塑封三极管 NPN 三极管 S8050 TO-92 HFE=150~300 华兆鑫提供，编带包装 代替：006-0008050D-01-00，2017-8-23增加0	1	PC
006-0008550D-01-10	Transistor S8550 TO-92 HFE=85~400 塑封三极管 三极管 S8550 TO-92 HFE=85~400 编带包装 华兆星提供 代替：006-0008550D-01-00/2017-8-23增加00	1	PC
006-000B772P-3A-00	Transistor,B772P,TO-126,PNP Power Transi HFE=160~320 Ic=3A Pc=1.25W 插件三极管 B772P,PNP TO-126 HFE=160~320 牌子:NEC,合芯电子公司提供 备注：2017-9-2，ALL ECN代用为：006-0000B	2	PC
006-KTA1273Y-01-00	Ai Transistor KTA1273Y , KEC Tape-Mount	3	PC
007-0008050Y-00-20	SMT Transistor MMBT8050D ,Package SOT-23 hFE=160~300 SMT三极管MMBT8050D, 封装：SOT-23， hFE=160~300,供应商为华兆鑫 代替007-0008050Y-00-10.2017-8-23增加007-	9	PC
007-0009013S-0I-10	封装：SOT-23 S9013 三极管，标志：J3 hFE=200~350 代用：007-0009013S-0I-00 2017-10-6增加0	2	PC
007-0009018S-0H-10	SMD Transistor, S9018, HFE=100-200 SMD三极管9018SH 3K/PACKAGE 2017-8-23增加007-S9018000-00-00	1	PC
007-S8550000-00-10	S8550 TRANSISTOR (PNP) SOT-23	5	PC

	Collector current: I =0.5A Collector-B 贴片三极管s8550 hFE:200-350 由华兆鑫供货 代用：007-S8550000-00-00/2017-8-23增加00		
007-S9014000-00-00	Transistor S9014 NPN,Package SOT-23, HFE=200~450, MARKING:J6 Ic=100mA SMD三极管S9014 NPN型，封装SOT-23 合芯提供 代用：007-00S9014S-01-00	15	PC
012-0603ESDA-09-00	SMT 0603ESDA-09，ESD 防静电管 ， < 比特> SMT ESD 防静电管 ,型号：0603ESDA-09 带装，电容容量：3P,适用于USB2.0 工作电压：9V，	3	PC
013-0000SK24-00-00	SMT Diode SK24 贴片二极管 SK24 封装为 5 K/PACKAGE	1	PC
013-001N4148-02-10	SMT Diode 1N4148 LL-34 (SEMTECH Electronics.Ltd.)5K/PACKAGE 贴片二极管 1N4148,封装为LL-34	7	PC
014-00500039-12-10	ZENER DIODES,Vznom:3.9V+/-0.2V SMD:LL-34，Ptot:500mA 齐纳稳压二极管：3.9V,封装：LL-34 三盛源供应 代用;014-00500039-12-00	1	PC
014-00500056-11-20	ZENER DIODES:5.6V+/-0.4V SMD:LL-34，Ptot:500mW 齐纳稳压二极管，5.6V 封装：LL-34 三盛源供应 代用：014-00500056-11-10	11	PC
014-00500091-10-30	ZENER DIODES,9.1V+0.5/-0.6V SMD:LL-34，Ptot:500mW 齐纳稳压二级管，9.1V 封装:LL-34 三盛源供应 代用：014-00500091-10-10、014-00500091-1	1	PC
014-01000300-00-10	Zener Diode 30V +/-5%/1W, DO-41(GLASS) IN4751A, (Tape Mount) 齐纳稳压二极管，封装：DO-41 三盛源供应 代用：014-01000300-00-00 备注：2017-6-1	1	PC
016-001N4007-00-10	Rectifier 1N4007 (Tape-Mount) 整流子 1N4007 带装 深圳泰丰祥公司 REPLACE:016-001N4007-00-00	2	PC
016-001N5407-00-00	Rectifier IN5407 3A Peak forward current Reverse Voltage：800 Volts IN5407 3A,反向电压:800V,HK骏利贸易公司 储存温度：-65℃ to 175℃ BY Team Force	1	PC

	代用：016-001N5401-00-00 联科订料		
016-0B5819WS-00-00	Rectifier B5819WS 整流子,型号：B5819WS, 封装：SOD-323	2	PC
017-GY3020TW-1C-E2	LED(SMD 3020)Size=3x2x1.3mm,White 3K/R Part on:GY-3020TW1C-AQZ-2 GUANG YU 发光二极管 超亮正白色,SMD3020 带装 3K/卷 VF=3V IV=20mA IV=7Lm 光宇公司 备注栏：VF=3V IV=20mA IF=7Lm 备注栏：尺寸=3x2x1.3mm	9	PC
018-001N4007-00-00	Rectifier SMD M7 1.0A/1000V DO-214AC (SMA) SMD 贴片整流二极管，型号：M7, 1.0A/1000V	6	PC
058-00240000-00-00	Chip Resistor (0402) 0 Ohm, 1/16W,+/-5% 贴片电阻(0402) 0 Ohm, +/-5%	2	PC
058-00340000-00-00	Chip Resistor (0603) 0 Ohm (Jumper wire) 1A (Only accept <0.05 Ohm tolerance) 贴片电阻(0603) 0 Ohm (Jumper wire) 1A (只能接受少於0.5欧误差)	10	PC
058-00342100-00-00	Chip Resistor (0603) 10 Ohm 1/10W +/-5% 贴片电阻(0603)10 Ohm 1/10W +/-5%	7	PC
058-00342220-00-00	Chip Resistor (0603) 22 Ohm 1/10W +/-5% 贴片电阻(0603) 22 Ohm 1/10W +/-5%	2	PC
058-00342330-00-00	Chip Resistor (0603) 33 Ohm 1/10W +/-5% 贴片电阻(0603) 33 Ohm 1/10W +/-5%	2	PC
058-00342470-00-00	Chip Resistor (0603) 47 Ohm 1/10W +/-5% 贴片电阻(0603) 47 Ohm 1/10W +/-5%	1	PC
058-00343100-00-00	Chip Resistor (0603) 100 Ohm 1/10W +/-5% 贴片电阻 (0603) 100 Ohm 1/10W +/-5%	10	PC
058-00343150-00-00	Chip Resistor (0603) 150 Ohm 1/10W +/-5% 贴片电阻 (0603)150 Ohm 1/10W +/-5%	9	PC
058-00343220-00-00	Chip Resistor (0603) 220 Ohm 1/10W +/-5% 贴片电阻 (0603) 220 Ohm 1/10W +/-5%	8	PC
058-00343470-00-00	Chip Resistor (0603) 470 Ohm 1/10W +/-5% 贴片电阻 (0603) 470 Ohm 1/10W +/-5%	3	PC
058-00343560-00-00	Chip Resistor(0603) 560 Ohm 1/10W +/-5% 贴片电阻 (0603) 560 Ohm 1/10W +/-5%	2	PC
058-00343680-00-00	Chip Resistor(0603)680 Ohm 1/10W +/-5% 贴片电阻 (0603) 680 Ohm 1/10W +/-5%	6	PC
058-00344100-00-00	Chip Resistor (0603) 1K Ohm 1/10W +/-5% 贴片电阻 (0603) 1K Ohm 1/10W +/-5%	45	PC
058-00344120-00-00	Chip Resistor (0603)1.2K Ohm 1/10W +/-5% 贴片电阻 (0603) 1.2K Ohm 1/10W +/-5%	1	PC
058-00344150-00-00	Chip Resistor(0603)1.5K Ohm 1/10W +/-5% 贴片电阻 (0603) 1.5K Ohm 1/10W +/-5%	2	PC
058-00344220-00-00	Chip Resistor(0603) 2.2K Ohm 1/10W +/-5% 贴片电阻 (0603) 2.2K Ohm 1/10W +/-5%	13	PC
058-00344270-00-00	Chip Resistor(0603) 2.7K Ohm 1/10W +/-5% 贴片电阻 (0603) 2.7K Ohm 1/10W +/-5%	2	PC

058-00344330-00-00	Chip Resistor(0603) 3.3K Ohm 1/10W +/-5% 贴片电阻 (0603) 3.3K Ohm 1/10W +/-5%	7	PC
058-00344390-00-00	Chip Resistor(0603) 3.9K Ohm 1/10W +/-5% 贴片电阻 (0603) 3.9K Ohm 1/10W +/-5%	1	PC
058-00344470-00-00	Chip Resistor(0603) 4.7K Ohm 1/10W +/-5% 贴片电阻 (0603) 4.7K Ohm 1/10W +/-5%	14	PC
058-00344680-00-00	Chip Resistor(0603) 6.8K Ohm 1/10W +/-5% 贴片电阻 (0603) 6.8K Ohm 1/10W +/-5%	3	PC
058-00344820-00-00	Chip Resistor(0603) 8.2K Ohm 1/10W +/-5% 贴片电阻 (0603) 8.2K Ohm 1/10W +/-5%	1	PC
058-00344910-00-00	Chip Resistor (0603)9.1K Ohm 1/10W +/-5% 贴片电阻 (0603) 9.1K Ohm 1/10W +/-5%	2	PC
058-00345100-00-00	Chip Resistor (0603) 10K Ohm 1/10W +/-5% 贴片电阻(0603) 10K Ohm 1/10W +/5%	36	PC
058-00345120-00-00	Chip Resistor (0603) 12K Ohm 1/10W +/-5% 贴片电阻(0603) 12K Ohm 1/10W +/-5%	4	PC
058-00345150-00-00	Chip Resistor (0603) 15K Ohm 1/10W +/-5% 贴片电阻(0603)15K Ohm 1/10W +/-5%	4	PC
058-00345180-00-00	Chip Resistor (0603) 18K Ohm 1/10W +/-5% 贴片电阻(0603) 18K Ohm 1/10W +/-5%	2	PC
058-00345220-00-00	Chip Resistor (0603) 22K Ohm 1/10W +/-5% 贴片电阻(0603) 22K Ohm 1/10W +/-5%	30	PC
058-00345270-00-00	Chip Resistor (0603) 27K Ohm 1/10W +/-5% 贴片电阻(0603) 27K Ohm 1/10W +/-5%	2	PC
058-00345300-00-00	Chip Resistor (0603) 30K Ohm 1/10W +/-5% 贴片电阻(0603) 30K Ohm 1/10W +/-5%	4	PC
058-00345330-00-00	Chip Resistop (0603) 33K Ohm 1/10W +/-5% 贴片电阻(0603) 33K Ohm 1/10W +/-5%	12	PC
058-00345390-00-00	Chip Resistor (0603) 39K Ohm 1/10W +/-5% 贴片电阻(0603) 39K Ohm 1/10W +/-5%	1	PC
058-00345470-00-00	Chip Resistor (0603) 47K Ohm 1/10W +/-5% 贴片电阻(0603) 47K Ohm 1/10W +/-5%	11	PC
058-00345560-00-00	Chip Resistor (0603) 56K Ohm 1/10W +/-5% 贴片电阻(0603) 56K Ohm 1/10W +/-5%	1	PC
058-00346100-00-00	Chip Resistor(0603) 100K Ohm 1/10W +/-5% 贴片电阻(0603) 100K Ohm 1/10W +/-5%	10	PC
058-00346150-00-00	Chip Resistor(0603) 150K Ohm 1/10W +/-5% 贴片电阻(0603) 150K Ohm 1/10W +/-5%	1	PC
058-00346220-00-00	Chip Resistor(0603) 220K Ohm 1/10W +/-5% 贴片电阻(0603)220K Ohm 1/10W +/-5%	3	PC
058-00346470-00-00	Chip Resistor(0603) 470K Ohm 1/10W +/-5% 贴片电阻(0603) 470K Ohm 1/10W +/-5%	2	PC
058-00347100-00-00	Chip Resistor (0603) 1M Ohm 1/10W +/-5% 贴片电阻(0603)1M Ohm 1/10W +/-5%	2	PC
058-00348100-00-00	Chip Resistor(0603) 10M Ohm 1/10W +/-5% 贴片电阻(0603) 10M Ohm 1/10W +/-5%	1	PC
058-00442100-00-00	CHIP Resistor (0805) 10 Ohm 1/8W +/-5% 贴片电阻 (0805) 10 Ohm 1/8W +/-5%	1	PC
058-00443820-00-00	CHIP Resistor (0805) 820 Ohm 1/8W +/-5%	4	PC

	表面钎接电阻 (0805) 820 Ohm 1/8W +/-5%		
058-00445100-00-00	CHIP Resistor (0805) 10K Ohm 1/8W +/-5% 表面钎接电阻 (0805) 10K Ohm 1/8W +/-5%	1	PC
058-00640000-00-00	Chip Resistor (1206) 0 Ohm 1/4W +/-5%	3	PC
058-00642100-00-00	Chip Resistor (1206) 10 Ohm 1/4W +/-5% 贴片电阻(1206)10 Ohm 1/4W +/-5%	1	PC
058-00642220-00-00	Chip Resistor (1206) 22 Ohm 1/4W +/-5% 贴片电阻(1206) 22 Ohm 1/4W +/-5%	3	PC
058-00642470-00-00	Chip Resistor (1206) 47 Ohm 1/4W +/-5% 贴片电阻(1206) 47 Ohm 1/4W +/-5%	1	PC
058-00642910-00-00	Chip Resistor (1206) 91 Ohm 1/4W +/-5% 贴片电阻(1206) 91 Ohm 1/4W +/-5%	2	PC
058-00644100-00-00	Chip Resistor (1206) 1K Ohm 1/4W +/-5% 贴片电阻(1206) 1K Ohm 1/4W +/-5%	1	PC
058-00644220-00-00	Chip Resistor (1206) 2.2K Ohm 1/4W +/-5% 贴片电阻(1206) 2K2 Ohm 1/4W +/-5%	6	PC
059-08203300-00-00	Resistor Network 8pin 4X33 Ohm 1/10W +/-5% 0603 排阻 4个33 Ohm 电阻并联	1	PC
108-1050103K-00-JV	Chip Capacitor(0603)0.01U 50V +/-10%	6	PC
108-10B3100B-K0-00	Chip Capacitor (0603) X7R 100pF 50V +/-10% 贴片电容 (0603)X7R 100pF 50V +/-10%	11	PC
108-10B3200B-M0-00	Chip Capacitor (0603) X7R 200pF 50V +/-20% 贴片电容 (0603) X7R 200pF 50V +/-20% FORMER NUMBER:106-350B3200-20-00 2017-12-12增加108-10B3200B-J0-00	4	PC
108-10B3220B-K0-00	Chip Capacitor (0603) X7R 220pF 50V +/-10% 贴片电容 (0603) X7R 220pF 50V +/-10% FORMER NUMBER:106-350A3220-20-00	2	PC
108-10B4100B-K0-00	Chip Capacitor (0603) X7R 0.001uF 50V +/-10% 贴片电容 (0603) X7R 0.001uF 50V +/-10%	13	PC
108-10B4120B-K0-00	Chip Capacitor (0603) X7R 0.0012uF 50V +/-10% 贴片电容 (0603) X7R 0.0012uF 50V +/-10% 4K/ROLL	1	PC
108-10B4150B-K0-00	Chip Capacitor (0603) X7R 0.0015uF 50V +/-10% 贴片电容 (0603) X7R 0.0015uF 50V +/-10%	4	PC
108-10B4220B-K0-00	Chip Capacitor (0603) X7R 0.0022uF 50V +/-10% 贴片电容 (0603) X7R 0.0022uF 50V +/-10%	8	PC
108-10B4330B-K0-00	Chip Capacitor (0603) X7R 0.0033uF 50V +/-10% 贴片电容 (0603) X7R 0.0033uF 50V +/-10%	2	PC
108-10B4820B-K0-00	Chip Capacitor (0603) X7R 0.0082uF 50V +/-10% 贴片电容 (0603) X7R 0.0082uF 50V +/-10%	2	PC
108-10B5180B-M0-00	Chip Capacitor (0603) X7R 0.018uF 50V +/-20% 贴片电容 (0603) X7R 0.018uF 50V +/-20% FORMER NUMBER:106-350B5180-20-00	1	PC
108-10B5220A-K0-00	Chip Capacitor (0603) X7R 0.022uF 25V	1	PC

	+/-10% 贴片电容(0603)X7R 0.022uF 25V +/-10% 4K/ROLL FORMER NUMBER:106-325A5220-20-00		
108-10B5330A-K0-00	Chip Capacitor (0603) X7R 0.033uF 25V +/-10% 贴片电容 (0603)X7R 0.033uF 25V +/-10% FORMER NUMBER:106-325A5330-20-00	2	PC
108-10B5470A-K0-00	Chip Capacitor (0603) X7R 0.047uF 25V +/-10% 贴片电容 (0603) X7R 0.047uF 25V +/-10% FORMER NUMBER:106-325A5470-20-00	4	PC
108-10B5680A-K0-00	Chip Capacitor (0603) X7R 0.068uF 25V +/-10% 贴片电容 (0603) X7R 0.068uF 25V +/-10% FORMER NUMBER:106-325A5680-20-00	1	PC
108-10B6150O-K0-00	Chip Capacitor (0603) X7R 0.15uF 16V +/-10% 贴片电容 (0603)X7R 0.15uF 16V +/-10%	4	PC
108-10B6220P-K0-00	Chip Capacitor (0603) X7R 0.22uF 10V +/-10% 贴片电容 (0603) X7R 0.22uF 10V +/-10% 4K/ROLL Former Number:106-310A6220-20-00	3	PC
108-10B7100P-K0-00	Chip Capacitor (0603) X7R 1uF 25V +/-10% 贴片电容 (0603) X7R 1uF 25V +/-10%	14	PC
108-10B7220P-K0-00	Chip Capacitor (0603) X7R 2.2uF 10V +/-10%	17	PC
108-10F6100A-M0-00	Chip Capacitor (0603) Y5V 0.1uF 25V +80/-20% 贴片电容 (0603)Y5V 0.1uF 25V +80/-20%	45	PC
108-10F6220O-M0-00	Chip Capacitor (0603) Y5V 0.22uF 16V +/-20% 贴片电容 (0603) Y5V 0.22uF 16V +/-20% liu 2017-3-11此电容原要求规格+/-20%，暂	2	PC
108-10F6470O-M0-00	Chip Capacitor (0603) Y5V 0.47uF 16V +80/-20% 贴片电容 (0603) Y5V 0.47uF/16V +80%/-20% 4K/PACK	1	PC
108-10N1500B-J0-00	Chip Capacitor (0603) NPO 5pF 50V +/-5% 贴片电容 (0603) NPO 5pF 50V +/-5% 106-55091500-20-00	2	PC
108-10N2150B-J0-00	Chip Capacitor (0603) NPO 15pF 50V +/-5% 贴片电容 (0603) NPO 15pF 50V +/-5% 106-55092150-20-00	1	PC
108-10N2180B-J0-00	Chip Capacitor (0603) NPO 18pF 50V	2	PC

	+/-5% 贴片电容 (0603) NPO 18pF 50V +/-5% 106-55092180-20-00		
108-10N2300B-J0-00	Chip Capacitor (0603) NPO 30pF 50V +/-5% 贴片电容 (0603) NPO 30pF 50V +/-5% 106-55092300-20-00	2	PC
108-10N2330B-J0-00	Chip Capacitor (0603) NPO 33pF 50V +/-5% 贴片电容 (0603) NPO 33pF 50V +/-5% 106-55092330-20-00	6	PC
108-10N3100B-J0-00	Chip Capacitor (0603) NPO 100pF 50V +/-5% 贴片电容 (0603) NPO 100pF 50V +/-5%	1	PC
108-21B64700-K0-00	Chip Capacitor (0805) X7R 0.47uF 16V +/-10% 贴片电容(0805) X7R 0.47uF 16V +/-10% 4K/PACK	1	PC
108-21B7100A-K0-00	Chip Capacitor (0805) X7R 1uF 25V +/-10% 贴片电容(0805) X7R 1uF 25V +/-10% < GP6 Model>,3K/PACK	6	PC
108-21B8100P-K0-00	SMD 0805 CAP, 10uF±10%, Rated Voltage10 L: 2.00 ± 0.20 mm W1.25 ± 0.20 mm 贴片电容X6S，10uF±10% 封装0805，额定电压10V 代用：108-21B5100P-K0-00	31	PC
108-21F74700-Z0-00	Chip Capacitor (0805) Y5V 4.7uF 16V -20/+80% 贴片电容 (0805) Y5V 4.7uF 16V -20/+80% 3K/ROLL 2017-10-19增加108-21F74700-Z0-10	9	PC
108-31F8100A-Z0-00	Chip Capacitor (1206) Y5V 10uF 25V -20/+80% 贴片电容 (1206) Y5V 10uF 25V -20/+80% 2K/ROLL 2017-10-24增加108-31F8100A-K0-00	2	PC
108-31F82200-M0-00	Chip Capacitor (1206) Y5V 22uF 16V +/-20% 贴片电容(1206) Y5V 22uF 16V +/-20%	2	PC
110-016C9470-00-00	Electrolytic Capacitor 470 uF 16V +/-20%,Size: D 8 X 12mm 电解电容 470 uF 16V +80 -20%, D 8 X 12mm	1	PC
110-016CA220-01-00	Electrolytic Capacitor 2200uF 16V +80% -20%,Size:D10x21mm 电解电容 2200 uF 16V +80 -20%, D10x21	1	PC
110-025C9470-03-00	Electrolytic Capacitor 470 uF 25V +/-20%,Size: D 8 X 14mm 电解电容 470 uF 25V +/-20%, D 8 X 14mm 工作温度：-40/+105度 中山万科	1	PC

110-025CA220-00-00	Electrolytic Capacitor 2200 uF 25V +80 -20% Size:D13 X 21mm 电解电容 2200 uF 25V +80 -20%	1	PC
110-T00470G2-02-00	Ai Electrolytic Capacitor 4.7uF 50V, +/-20%, D5x11mm, P=2.0mm,Straight Tapping Ai电解电容 4.7uF 50V, +/-20%, D5x11mm, 脚距=2.0mm, 直型编带. (-40 to +105 Degrees)	1	PC
110-T04700C2-02-00	Ai Electrolytic Capacitor 47uF 16V, +/-20%, D5x11mm, P=2.0mm,Straight Tapping Ai电解电容 47uF 16V, +/-20%, D5x11mm, 脚距=2.0mm, 直型编带. (-40 to +105 Degrees)	5	PC
110-T10000C2-02-00	Ai Electrolytic Capacitor 100uF 16V, +/-20%, D5x11mm, P=2.0mm,Straight Tapping Ai电解电容 100uF 16V, +/-20%, D5x11mm, 脚距=2.0mm, 直型编带. (-40 to +105 Degrees)	16	PC
110-T10000C2-03-00	Ai Electrolytic Capacitor 100uF 25V, +/-20%, D5x11mm, P=2.0mm,Straight Tapping Ai电解电容 100uF 25V, +/-20%, D5x11mm, 脚距=2.0mm, 直型编带. (-40 to +105 Degrees)	9	PC
110-T22000C3-03-00	Ai Electrolytic Capacitor 220uF 16V, +/-20%, D6.3x12mm, P=2.5mm,Straight Tapping Ai电解电容 220uF 16V, +/-20%, D6.3x12mm, 脚距=2.5mm, 直型编带. (-40 to +105 Degrees)	3	PC
115-016C9100-00-00	SMT Electrolytic Capacitor 100 uF 16V +/-20%,Size: L5.4 x W6.3mm(ECEV1CA101WP) 贴片铝电解电容 100 uF 16V +/ -20%, 焊盘封装：长5.4 x 宽6.3mm/105度	3	PC
159-10000150-00-00	SMD INDUCTORS(0603)15nH, MAX 300mA VHF160808H15NJB	1	PC
159-10001200-02-00	SMD INDUCTORS,120nH+/-5% SDFL2012LR12JT, MAX 250mA,0805封装，供货商:泰丰祥 产品型号:SDFL2012LR12JT，封装：0805； 电感量：120NH,误差：±5%，颜色=白色 额定电流：250mA 工作温度：-40 to 85℃	1	PC
159-10002200-10-10	SMD INDUCTORS 220nH±5%, (0805)，MAX300mA. SMD 叠层电感 220nH±5%, MAX300mA, L=2.0±0.2 L=2.0±0.2 W=1.25±0.2 T=1.25±0.2（厚 W=1.2±0.2 T=1.25±0.2 （厚身绕线）	1	PC
159-10027000-00-20	SMD CHIP INDUCTORS 2.7UH+/-10% /30mA0805 SDFL2012Q2R7 tai feng xiang co.ltd 贴片电感 2.7UH ±10% (0805)SDFL2012Q2R7	1	PC

	/30mA深圳泰丰祥供应 代用：159-10027000-00-10 工作温度:-40℃		
159-10330000-01-50	SMD INDUCTORS,33uH+/- 20%, 型号: SPH252012H330MT 阻抗1.84Ω 额定电流0.42A 供应商：宝盈新 代替159-10330000-01-40（或30）	1	PC
159-NL453232-00-10	SMD INDUCTORS,1MH+/- 5%,NL453232T-102J-PF.4.5× 3.2× 3.2mm（L×W× T） 贴片电感:1MH+/- 5%,NL453232T-102J-PF 30 mA/MAX,Q=30,DRC=40.OHM/MAX,尺寸：4.5×× 3.2× 3.2mm（L×W× T）	1	PC
159-WL322522-00-00	SMD INDUCTORS,220UH+/-10%,WL322522-221K 3225封装。 50mA/MAX,Q=20,DRC=21.OHM/MAX, 供应商：顺鹏电子	1	PC
160-00000220-00-00	Chip Ferrite Bead 220 Ohm/ 100M 0603 Max 200mA,	6	PC
160-00001500-00-00	Chip Ferrite Bead 1K5 Ohm/ 100M 0603 2013-7-10:深圳杰智达回复最大100mA 2017-9-14增加160-FCM1608H-F1-00	25	PC
160-CBW9U600-00-00	CHIP BEAD(CBW TYPE), 0805,阻抗 60Ω/ 100 MHz(+/-25%)at100MHz ,3A 大电流型磁珠:100Mhz下阻抗为60Ω +/-25% 最大电流：3A,由深圳泰丰祥提供。 代用：160-0CBW2600-M0-00 型号:CBW201209	2	PC
169-11050547-02-00	Ferrite Choke Transformer OD=11 ID=5.0 47uH, ±30% ,Wire D=0.5mm 47uH, ±30% ,Wire D=0.5mm 品名：T11.5x5.6x4.2mm ， 电感量=47uH, ± 备注：2017-6-12，ALL ECN代用为：169-1105	1	PC
169-T10L0100-10-00	Ferrite Choke Transformer OD=20 ID=12 Wire D=1.0，P/N：T8026 100UH±20%, 磁芯扼流圈,外径20,内径12,线径1.0，立式 型号：T8026 电感量100±20%UH，有热缩管 宏力提供 备注：2017-5-16，ALL ECN代用：	1	PC
202-TS1102VA-00-00	Tact Switch, Vertical Type, CTS1102VA, Jiu Zhou 按制 - 垂直式 , CTS1102VA 九洲	1	PC
204-TS696042-E9-30	Surface Mount Tact 4-Pin,250±50gf, L6.2,,W6.5,H4.5,DC12V/0.5A 防水型轻触开关 动作力：250±50gf,五洲电子供应 代用：204-TS696042-E9-20 额定电流：0.5A	10	PC

350-R1032000-06-03	RCA Cable Housing Ass'y,2.0x3,#28AWG, CMS20 ONLY Gray L=330mm,2 Channel W/2Pai 灰色双并RCA屏蔽线。 有白色套管丝印加透明硅胶管保护。	1	PC
350-R1032000-09-11	RCA Cable Housing Ass'y,2.0x3,#28AWG, CMS20 ONLY Black L=320mm,2 Channel W/2Pa 有白色套管丝印加透明硅胶管保护。 黑色双并RCA屏蔽线。 莲花头屏蔽线组合,3位2mm间距扦头,28号320M	1	PC
350-R1032330-00-01	RCA Cable Housing Ass'y,2.0x3,#28AWG, CMS20 ONLY Red L=340mm,2 Channel,W/2Pair 红色双并RCA屏蔽线 有白色套管丝印加透明硅胶管保护,	1	PC
350-R1032330-01-01	RCA Cable Housing Ass'y,2.0x3,#28AWG, CMS20 ONLYL=340mm,2 Channel W/2Pairs RCA 紫色双并RCA屏蔽线 有白色套管丝印加透明硅胶管保护。	1	PC
359-220L3C2V-10-E3	ANT.Socket & Cable Ass'y(ELV).Car Audio CMS20 ONLY,L=180+20+4mm + Heat 有白色套管丝印加透明硅胶管保护。	1	PC
361-USB20250-00-01	USB Cable Ass'Y,Type 2.0x4P #28 L=260mm CMS20 ONLY "Black "RoHS" USB连接线。 有白色套管丝印加透明硅胶管保护。	1	PC
362-00250DIN-08-03	S,DIN Plug Cable(Pin)Big 8Pin,Black#28x9 CMS20 ONLY,L=290MM 大8DIN公头面板连接线 有白色套管丝印加透明硅胶管保护。	1	PC
362-00250DIN-08-10	Din Jack Cable (Hole) Big 8Pin Black 2:#28x9 W/2.0Pitch&shield L=250mm (ROHS) 凯联达提供 备注栏:代用362-00250DIN-08-00 。	1	PC
362-03000DIN-08-02	S,Din Jack to Plug Cable Big 8Pin,Black #28x9 L=3000mm DIN Jack to Plug Cable,大8Pin,黑色 长=3000mm 由凯联达提供 代用货号：362-DINJACK0-06-02	1	PC
362-0MINI10P-00-02	Mini10P,CMS20 SXM Cable,L=300MM -CMS2 ONLY- SIRIUS XM 连接线 SIRIUS XM 连接线 有白色套管丝印加透明硅胶管保护。 SXM线两根电源线--（黑线和 蓝线为22AWG)	1	PC
362-DINJACK0-06-23	Din Jack Cable (Hole) Big 8Pin Black CMS20 ONLY #28x9 W/2.0Pitch&shield L=280 CMS20 ONLY 有白色套管丝印加透明硅胶管保护。	1	PC
371-TN416020-L5-01	*12P TMG Connector(Hole),#16(Red,Black) +#20 Paired (Violet,Grey,White,Green)	1	PC

	12P TMG母插输出线,L=200mm,红/黑线16#线 橙/绿/白/灰/紫色为20#线 线头拖开5mm #20 Orange&Blue wire,Un-Striped Wire End 端子为镀金 UL "Rohs" 海之宏 采购通知海		
372-TH416020-00-01	*12P TMG Connector(Plug) + 12P wire to board connector,#16(Red,Black)+ #20 TMG公插12Pin 4.2间距排座输出线,L=260mm 红/黑线16#线,红色线带15A防水保险丝 Paired(Violet,Grey,White,Green),#20 Oran 橙/绿/白/灰/紫色为20#线,UL "RoHS" 海之宏	1	PC
376-55660006-A0-00	Wire to Board Connector,5566-6A, Socket Straight, Color: White (SM2007) JIU ZHOU 六位出线插座,直身,白色 九洲	2	PC
377-H010100L-13-10	FPC/FFC Connector 10 pin SMD W/Locker(Nether Contact, Pitch=1.0mm) 10位FPC/FFC连接器,间距:1.0mm,下接点,卧式 SMD 有锁,单排脚.	1	PC
386-00CW5129-SA-S0	BTmodule CW51_SA FOR M508 三马订料j机型：CMS20/M508 软件版本:CW51_SA_COW516_V400B029	1	PC
402-0327680K-03-10	Crystal 32.768KHz，C-308（3x8），+/-10p 负载电容：12.5PF 取代402-0327680K-03-00、402-00032768-00-	1	PC
402-0327680K-10-10	Crystal 32.768KHz，D2x6mm（加绝缘套管）+ 负载电容：12.5PF 代用402-0327680K-10-01	1	PC
403-0000455K-00-00	Ceramic Resonator 455KHz 陶瓷振子 455KHz	1	PC
410-0CMS20AA-EC-00	CMS20 Main PCB,162X150.1mm,FR4,T=1.6mm CMS20主板,厚度1.6mm,FR4,OSP(抗氧化）。 1拼1，供应商：建祥。	1	PC
410-0CMS20BT-EC-00	CMS20 BT ANT PCB,FR4,此板拼于 410-0CMS20AA-EC-00, OSP(抗氧化） 此板拼于410-0CMS20AA-EC-00主板,OSP. 尺寸：24.1x16.5mm.	1	PC
410-0CMS20C2-EC-00	PCB,Panel,Board,CPU=CMS20 Size=105.8x77.8mm T=1.6mm FR4 CMS20 前咀板,Size=105.8x77.8mm, OSP(抗氧化 1.6mm FR4,1拼4,建祥 备注栏:总尺寸=211.	1	PC
410-0CMS20P2-EC-00	CMS20 LED Board, Size=10.6x8mm T=1.6mm FR4 CMS20 灯板,Size=10.6x8mm T=1.6mm FR4 OSP(抗氧化） 备注栏:此板拼于410-0CMS20C2-EC-00上,	1	PC
410-0CMS20P2-EC-10	CMS20 LED Board,	1	PC

	Size=10.6x8mm T=1.6mm FR4 CMS20 灯板,Size=10.6x8mm T=1.6mm FR4 OSP(抗氧化） 备注栏:此板拼于410-0CMS20C2-EC-00上,		
416-0R200090-01-00	Wafer, 9 Pin ,Pitch 2.0mm Right Angled 九位排座, 间距2毫米, 直角	1	PC
416-0S200030-E1-00	Wafer,3 Pin,Pitch 2.0mm Straight,<ELV> 排座3位, 间距 2毫米直身,<ELV> "脚带弧度定位型"	4	PC
416-0S200040-E1-00	Wafer,4 Pin,Pitch 2.0mm Straight,<ELV> 排座,4位,间距2毫米直身,<ELV>	1	PC
416-0S200900-E1-00	Wafer,9 Pin,Pitch 2.0mm Straight,<ELV> 9位排座,间距2.0mm直身,<ELV>	3	PC
440-0C353246-00-00	COG LCD,Part No:C353246POTFG (A0),Size=8 (CMS2) FSTN POSITIVE CHARISH 液晶显示器 Part No:C353246POTFG (A0)版本 FSTN正像(全透版本)Size=81x26mm 捷尔士 全点阵LCD:132x36 DOTS (带ST7567驱动IC及1	1	PC
444-00CMS101-00-00	Reset Button, Si Rubber(Black)+UV 复原按钮, 黑色硅胶(+UV).	1	PC
444-00CMS102-00-00	Bottom Gasket, Si Rubber(Black)+UV 底部密封垫圈, 黑色硅胶(+UV)	1	PC
444-00CMS103-00-00	Heat Sink Gasket, Si Rubber(Black)+UV 散热片密封垫圈, 黑色硅胶(+UV)	1	PC
444-00CMS104-00-00	Antenna Cable Gasket, Si Rubber(Black) 天线密封垫圈,黑色硅胶(+UV)	1	PC
444-00CMS105-00-00	Rubber Stopper, Si Rubber(Black)(+UV) 橡胶塞, 黑色硅胶(+UV)	4	PC
444-0CMS2001-00-00	COMMANDER GASKET RING,50度黑色硅胶,(防UV 面板密封圈，50度黑色硅胶,防UV,ROHS材料	1	PC
444-0CMS2002-00-00	8DIN CABLE GASKET,50度黑色硅胶,防UV,ROHS 8DIN线密封圈，50度黑色硅胶,防UV,ROHS材料	1	PC
444-0CMS2003-00-00	RUBBER KEY,50度透明硅胶,W/Spray Matt Bla Illu "+,-,SRC,DISP,MENU,>II,<,>,^,v" in 按键，50度透明硅胶,喷哑黑,防UV,ROHS材料, 透光:"+,-,SRC,DISP,MENU,>II,<,>,^,v" Silksc "VOL,ENTER" White Color,(ROHS材料 托白色, "VOL,ENTER"丝印白色.	1	PC
444-0CMS2004-00-00	RUBBER COVER,70度硅胶(灰色),防UV,ROHS材 (With "Clarion" Logo) 硅胶盖，70度硅胶，灰色COOL GRAY 11C , 防UV,ROHS材料	1	PC
455-FSMD0200-00-00	SMD Resettable Fuse 0.2A (SMD1206) TUZETEC FSMD020-1206 (富致科技供应)富致科技型号为FSMD020-1206 工作保持电流为0.2A ,跳脱电流0.4A IHA=0.2A .ITA =0.4A .VMAX=30VDC , MAK 工作电压6-30VDC ,产品上标志为(FB) ,每	1	PC
455-FSMD0350-00-00	SMD Resettable Fuse 0.35A (SMD1206)	1	PC

	TUZETEC FSMD035-1206 (富致科技供应)富致科技型号为FSMD035-1206 工作保持电流为0.35A,跳脱电流0.4A IHA=0.35A，ITA =0.4A。VMAX=30VDC，MAK=FB 工作电压6-30VDC ,产品上标志为(FB) ,每		
455-FSMD0750-00-00	SMD Resettable Fuse 0.75A (SMD1206) TUZETEC FSMD075-1206 (富致科技供应)富致科技型号为FSMD075-1206 750MA自恢复保险丝	2	PC
600-00CMS101-00-00	Black Box, PC70%+ABS30% (Black) 黑盒子, 黑色PC70%+ABS30%, 晒粗纹	1	PC
600-00CMS102-00-00	Reset Button Cover, PC1250Y (Black) 重置钮盖, 黑色PC 1250Y, 晒粗纹	1	PC
600-00CMS103-00-00	Bossed Cap, PC 1250Y (Black) 螺丝柱帽, 黑色PC 1250Y	4	PC
600-00CMS201-00-00	LCD Holder, ABS(Porcelain WHITE) LCD盒,ABS(瓷白色)	1	PC
600-00CMS202-00-00	LCD REFLECTOR ,PMMA(CLEAR) LCD反射器,PMMA(透明)	1	PC
600-0CMS2001-00-00	Front Panel,PC(BLACK), W/Spray Matt(+UV) Silkscn Power Symbol for Silver 8400C 面壳，PC(黑色)，带喷哑黑防UV & 丝印 银色8400C 电源符号.	1	PC
600-0CMS2002-00-00	Rear Panel,PC(Black),(+UV) 后壳，PC(黑色),防UV.	1	PC
600-0CMS2003-00-00	Trim Ring,ABS777D(Nutrel),W/Spray Matt B (+UV). 装饰框，ABS777D(原色),喷哑黑3C,防UV.	1	PC
600-0CMS2003-00-10	@Trim Ring,ABS777D(Nutrel), 装饰框，ABS777D(原色), 真空电镀同CMS4/防UV	1	PC
600-0CMS2004-CN-00	LENS,PMMMA(Clear),W/Silkscreen Clarion C 镜片，PMMA(透色)，带丝印: Clarion CMS20 丝印银色8400C	1	PC
600-0CMS2005-00-00	Reflector,PC(Clear), 透光架，PC(透明)	1	PC
650-000MW105-30-00	M4 Nut, Stainless 六角螺母M4,不锈钢	8	PC
650-00CMS101-00-00	Bottom Cover, 0.8mm EGI, W\Spray Black 底盖, 0.8mm EGI, 喷黑油	1	PC
650-00CMS102-00-00	Heat Sink, Al(Die Casting) 散热片, 铝(拉模铸造)	1	PC
650-00CMS103-00-00	Wire Cover, 0.8mm EGI, W/Spray Black 拼线盖, 0.8mm EGI, 喷黑油	1	PC
650-00CMS104-00-00	Heat Sink Bracket A, 1mm EGI 散热片支架A, 1mm EGI	1	PC
650-00CMS105-00-00	Heat Sink Bracket B, 1mm EGI 散热片支架B, 1mm EGI	1	PC
650-00CMS106-00-00	Antenna Cable Bracket, 1mm EGI	1	PC

	天线支架, 1mm EGI		
650-00CMS201-00-00	LCD HOUSE,0.5T C.R. Steel,Electrophoresi LCD支架,0.5t C.R.Steel,电泳黑色	1	PC
650-0CMS2001-00-00	Mounting Bracket, 3mm Al Plate 固定支架,铝,t=3mm,宏力	1	PC
650-SM200704-00-00	Reset Button Bracket, 1mm EGI 复原按钮支架, 1mm EGI	1	PC
650-SM200707-00-01	Cable Holding Plate，1mm EGI,Electrophor 线支架片，1mm EGI,电泳黑色	1	PC
650-SM885A07-00-00	IC Bracket,0.8mm EGI IC支架,0.8mm EGI	1	PC
660-EPH3006B-23-00	Taptite `S`Type, 3x6 Pan Head, Philips, Chromate 金属自攻螺丝,3x6 "P"头,STP,电铬	1	PC
660-MHD40500-30-00	Machine Screw,M4x30+M4x5Hexagonal Head ,Stainless 双头六角机牙螺丝,M4x30+M4x5 不锈钢	2	PC
660-MPH30100-23-00	Machine Screw, 3x10 Pan Head, Philips, Chromate 机牙螺丝,3x10 "P"头,电铬	13	PC
660-MPH30160-30-00	Machine Screw, 3x16 Pan Head, Philips, Stainless, 不锈钢机牙螺丝,3X16 P头十字花 LIU：2009-7-20修改 直接代用货号：660-M	2	PC
660-TPH20060-30-00	Tapping `A`Type, 2x6 Pan Head, Philips Stainless 不锈钢自攻螺丝,2x6mm P头十字花	3	PC
660-TPH26080-25-00	Tapping `T`Type, 2.6x8 Pan Head, Philips Nickel-Plate 加硬 自攻螺丝,2.6x8 "T"头,ATP,镀镍 加硬	12	PC
660-TPH26080-30-00	Tapping `T`Type, 2.6x8 Pan Head, Philips Stainless, 不锈钢自攻螺丝,2.6X8 P头十字花	10	PC
660-TPH30101-23-00	Tapping "A" Type,3x10 Pan Head Philips ,Chromate 自攻螺丝,3x10 "P"头,ATP,电铬	16	PC
660-TPH40381-30-00	Tapping `A`Type, 4x38 Pan Head, Philips Stainless 不锈钢自攻螺丝,4x38mm P头十字花尖嘴 华江：2010-02-04修改 直接代用货号：660-	4	PC
704-00CMS201-00-00	LCD Plate,PC SHEET(Milky),95X26X0.15MM W/Silkscreen Black Frame,TianJiang 滤光片,PC片(半透明),95x26x0.15mm,丝印黑	1	PC
750-03000337-00-00	Corrugated Paper Sheet, L=300 x W=337mm, Double Corrugated 瓦通纸(双坑),L=300 x W=337mm. B=B	1	PC

757-00CMS100-10-00	White Box - CMS1 Size:315 x 94 x 346mm 白盒, Size:315 x 94 x 346mm	1	PC
759-04020001-60-60	Polybag,Open Side=40xL=200xT=0.06mm ,Material PE Recycled With Recycled Mark 胶袋,开口尺寸=40x长=200x 厚=0.06mm 材料:PE,有环保标志	1	PC
759-06008000-40-00	Polybag, Open Side=60 x L=80 x T=0.04mm Material:PE Recycle,With Recycled Mark 胶袋,开口尺寸=60 x 长=80 x 厚=0.04mm 材料:PE.有环保标志	1	PC
759-06009000-40-00	Polybag, Open Side=60 x L=90 x T=0.04mm Material :PE Recycle,With Recycled Mark 胶袋,开口尺寸=60 x 长=90 x 厚=0.04mm 材料:PE.有环保标志	2	PC
759-10020000-40-00	Polybag, Open Side=100 x L=200xT=0.04mm, T=0.04mm, PE Recycle,With Recycled Mark 胶袋,开口尺寸=100 x 长=200 x 厚=0.04mm 材料:PE.有环保标志	1	PC
759-10023005-30-10	Polybag, Open Side=100 x L=230 x T=0.03mm Material: PO Recycle, with 环保胶袋,开口尺寸=100 x长=230 x厚=0.03mm 物料:PO,连环保标志 Recycling Marking	2	PC
759-12018001-40-42	Polybag, Open Side=120x180x0.04mm, PE Recycled W/Warning Text,Air Holes & 胶袋,开口尺寸=120 x 长=180 x 厚=0.04mm 材料:PE,有通风孔&警告文字&环保标志 Revised Recycled Mark	2	PC
759-15020000-40-00	Polybag, Open Side=150 x L=200 x T=0.04mm, Material: PO 胶袋,开口尺寸=150 x 长=200 x 厚=0.04mm 材料: PO	1	PC
759-27032005-30-40	Polybag,Open Side=270 x L=320 x T=0.03mm Material:PO Recycle With Recycle Mark 胶袋,开口尺寸=270x长=320x厚=0.03mm, 材料:PO, 有环保标志&警告文字&通风孔 ,Air Holes,Warning Text(English Ver.)	1	PC
760-BB170150-50-00	Bubble Bag, Open Side=170 L=150 + 50mm 气珠袋 开口尺寸=170 长=150 +50mm	1	PC
763-00CMS100-03-10	Carton for CMS1/SST Unit, 3 Sets/CTN, Size:32.5x30x36.3cm 纸箱, ,3部装,32.5x30x36.3cm.A=A加强芯	0	PC
765-SILICA05-10-00	Silica Gel , 5gm Texture：mineral substance 防潮珠 5gm, 材质：矿物质	1	PC
769-00CMS101A-00-00	Pulp Tray Size:340x308x90mm -〈Rev.1 改模〉 纸托, Size:340x308x90mm,〈Rev.1 改模〉	1	PC

850-0CMS2001-00-00	EPE Sheet，Black Size:70x55x20mm 珍珠棉,黑色 尺寸：70x55x20mm	1	PC
851-00CMS201-10-00	Foam Rubber ， H=1mm(Black EVA),W/Double 轻胶, EVA(黑色,70度)81.2x24x1mm, 连双面胶纸,天将	1	PC
851-01510040-00-00	Foam Rubber, L=15 W=10 H=4 W/Two Double Sided Tape,Mostly Strong 轻胶,长=15 宽=10 高=4, 两面带双面胶	1	PC
851-0CMS2001-10-00	Mounting Gasket,Black PORON,L=109,W=81,T W/0.1PET+3M9448 PORON,黑色，L=109,W=81,T=2mm, 带0.1PET片+3M9448	1	PC
893-CABLETIE-00-JZ	Cable Tie 白色尼龙扎带 长=120毫米,1000PCS/包	1	PC
893-CABLETIE-01-00	Cable Tie L=150mm 白色尼龙扎带 长=150毫米,1000PCS/包	3	PC
893-CABLETIE-20-00	Cable Tie L=250mm FOR CMS2 Unit Tail Wire 新光尼龙扎线,白色,L=250MM, 4x250mm,500PCS/包	1	PC